### **Microorganisms**



#### 193: DESULFOBACTER MEDIUM

This recipe contains strain-specific modifications for Desulfovibrio inopinatus DSM 10711 \*

Final pH: 7.1 - 7.4 Final volume: 1003 ml

Solution A	942.00	ml
Solution B	30.00	ml
Solution C	20.00	ml
Solution D	1.00	ml
Solution E	10.00	ml
Seven vitamins solution	1.00	ml

- 1. Solution A is sparged with 80%  $N_2$  and 20%  $CO_2$  gas mixture to reach a pH below 6 (at least 30 min), then distributed under the same gas atmosphere in anoxic Hungate-type tubes or serum vials and autoclaved. Solution B is autoclaved separately under 80%  $N_2$  and 20%  $CO_2$  gas atmosphere. Solutions C and E are autoclaved under 100%  $N_2$  gas. Solution D is prepared under 100%  $N_2$  gas atmosphere and sterilized by filtration. To complete the medium appropriate amounts of solutions B to E are added to the sterile solution A in the sequence as indicated. Final pH of the medium should be 7.1 7.4.
- 2. Note: Addition of 10 20 mg sodium dithionite per liter (e.g. from 5% (w/v) solution, freshly prepared under  $N_2$  and filter-sterilized) may stimulate growth of some strains at the beginning. For transfers use 5 10% (v/v) inoculum.
- \* Omit Na-acetate and add after autoclaving 1.00 ml/l seven vitamins solution (see medium 503), 2.50 g/l Na-pyruvate and 0.50 g/l yeast extract from anoxic stock solutions sterilized by filtration.

#### **Solution A**

$Na_2SO_4$	3.00	g
$KH_2PO_4$	0.20	g
NH <sub>4</sub> Cl	0.30	g
NaCl	7.00	g
$MgCl_2 \times 6 H_2O$	1.30	g
KCI	0.50	g
CaCl <sub>2</sub> x 2 H <sub>2</sub> O	0.15	g
Trace element solution SL-10	1.00	ml
Selenite-tungstate solution	1.00	ml
Sodium resazurin (0.1% w/v)	0.50	ml
Yeast extract	0.50	g
Distilled water	940.00	ml

## **Microorganisms**

**193: DESULFOBACTER MEDIUM** 



	lution	D
.7()		п

Na <sub>2</sub> CO <sub>3</sub>	1.50	g
Distilled water	30.00	ml

#### **Solution C**

Na acotato y 3 H O	2.50		
Na-acctate x 3 H2O	2.50	9	
Na-pyruvate	2.50	g	
Distilled water	20.00	ml	

#### **Solution D**

#### **Solution E**

$Na_2S \times 9 H_2O$	0.40	g
Distilled water	10.00	ml

#### **Selenite-tungstate solution** (from medium 385)

NaOH	0.50	g
$Na_2SeO_3 \times 5 H_2O$	3.00	mg
$Na_2WO_4 \times 2 H_2O$	4.00	mg
Distilled water	1000.00	ml

#### Trace element solution SL-10 (from medium 320)

	,	
HCI (25%)	10.00	ml
FeCl <sub>2</sub> x 4 H <sub>2</sub> O	1.50	g
ZnCl <sub>2</sub>	70.00	mg
$MnCl_2 \times 4 H_2O$	100.00	mg
H <sub>3</sub> BO <sub>3</sub>	6.00	mg
CoCl <sub>2</sub> x 6 H <sub>2</sub> O	190.00	mg
CuCl <sub>2</sub> x 2 H <sub>2</sub> O	2.00	mg
$NiCl_2 \times 6 H_2O$	24.00	mg
$Na_2MoO_4 \times 2 H_2O$	36.00	mg
Distilled water	990.00	ml

First dissolve  $FeCl_2$  in the HCl, then dilute in water, add and dissolve the other salts. Finally make up to 1000.00 ml.

#### Wolin's vitamin solution (10x) (from medium 120)

Biotin	_	 20.00	mg
Folic acid		20.00	mg

# Microorganisms

#### **193: DESULFOBACTER MEDIUM**



Pyridoxine hydrochloride	100.00	mg
Thiamine HCI	50.00	mg
Riboflavin	50.00	mg
Nicotinic acid	50.00	mg
Calcium D-(+)-pantothenate	50.00	mg
Vitamin B <sub>12</sub>	1.00	mg
p-Aminobenzoic acid	50.00	mg
(DL)-alpha-Lipoic acid	50.00	mg
Distilled water	1000.00	ml

#### **Seven vitamins solution\*** (from medium 503)

100.00	mg
80.00	mg
20.00	mg
200.00	mg
100.00	mg
300.00	mg
200.00	mg
1000.00	ml
	80.00 20.00 200.00 100.00 300.00 200.00