

383: DESULFOBACTERIUM MEDIUM

This recipe contains strain-specific modifications for *Desulfotignum balticum* DSM 12888 *

Final pH: 7.0 - 7.2

Final volume: 1003 ml

Solution A	952.00	ml
Solution B	20.00	ml
Solution C	20.00	ml
Solution D	1.00	ml
Solution E	10.00	ml

1. Solution A is sparged with 80% N₂ and 20% CO₂ gas mixture to reach a pH below 6 (at least 30 min), then distributed in anoxic cultivation vials and autoclaved under the same gas atmosphere. Solution B is autoclaved separately under 80% N₂ and 20% CO₂ gas atmosphere. Solutions C and D are prepared under 100% N₂ gas and filter-sterilized. Solution E is autoclaved under 100% N₂ gas. To complete the medium appropriate amounts of solutions B to E are added to the sterile solution A in the sequence as indicated. Final pH of the medium should be 7.0 - 7.2.

2. Note: Addition of 10 - 20 mg sodium dithionite per liter (e.g. from 5% (w/v) solution freshly prepared under N₂ and filter-sterilized) may stimulate growth of some strains at the beginning. For transfers use 5 - 10% inoculum. Incubate all strains in the dark.

* Replace pyruvate with 1.10 g/l Na-butyrate and 1.10 g/l caproic acid.

Solution A

Na ₂ SO ₄	3.00	g
KH ₂ PO ₄	0.20	g
NH ₄ Cl	0.30	g
NaCl	21.00	g
MgCl ₂ x 6 H ₂ O	3.00	g
KCl	0.50	g
CaCl ₂ x 2 H ₂ O	0.15	g
Trace element solution SL-10	1.00	ml
Selenite-tungstate solution	1.00	ml
Sodium resazurin (0.1% w/v)	0.50	ml
Distilled water	950.00	ml

Solution B

Na ₂ CO ₃	1.00	g
Distilled water	20.00	ml

383: DESULFOBACTERIUM MEDIUM

Solution C

Na pyruvate	2.50	g
Na-butyrate	1.10	g
Caproic acid	1.10	g
Distilled water	20.00	ml

Solution D

Wolin's vitamin solution (10x)	1.00	ml
--------------------------------	------	----

Solution E

Na ₂ S x 9 H ₂ O	0.40	g
Distilled water	10.00	ml

Selenite-tungstate solution (from medium 385)

NaOH	0.50	g
Na ₂ SeO ₃ x 5 H ₂ O	3.00	mg
Na ₂ WO ₄ x 2 H ₂ O	4.00	mg
Distilled water	1000.00	ml

Trace element solution SL-10 (from medium 320)

HCl (25%)	10.00	ml
FeCl ₂ x 4 H ₂ O	1.50	g
ZnCl ₂	70.00	mg
MnCl ₂ x 4 H ₂ O	100.00	mg
H ₃ BO ₃	6.00	mg
CoCl ₂ x 6 H ₂ O	190.00	mg
CuCl ₂ x 2 H ₂ O	2.00	mg
NiCl ₂ x 6 H ₂ O	24.00	mg
Na ₂ MoO ₄ x 2 H ₂ O	36.00	mg
Distilled water	990.00	ml

First dissolve FeCl₂ in the HCl, then dilute in water, add and dissolve the other salts. Finally make up to 1000.00 ml.

Wolin's vitamin solution (10x) (from medium 120)

Biotin	20.00	mg
Folic acid	20.00	mg
Pyridoxine hydrochloride	100.00	mg
Thiamine HCl	50.00	mg
Riboflavin	50.00	mg
Nicotinic acid	50.00	mg

383: DESULFOBACTERIUM MEDIUM

Calcium D-(+)-pantothenate	50.00	mg
Vitamin B ₁₂	1.00	mg
p-Aminobenzoic acid	50.00	mg
(DL)-alpha-Lipoic acid	50.00	mg
Distilled water	1000.00	ml