

503b: FWM MEDIUM (PERCHLORATE)

This recipe contains strain-specific modifications for *Acidovorax sp.* DSM 14692 *

Final pH: 7.0 - 7.2

Final volume: 1001 ml

Solution A	950.00	ml
Solution B	30.00	ml
Solution C	10.00	ml
Solution D	1.00	ml
Solution E	10.00	ml

Sparge solution A with 80% N₂ and 20% CO₂ gas mixture for 30 – 45 min to make it anoxic, distribute under same gas atmosphere into anoxic Hungate-type tubes or serum vials and autoclave. Solution B is autoclaved separately under 80% N₂ and 20% CO₂ gas atmosphere. Solutions D and E are prepared under 100% N₂ gas and sterilized by filtration. To complete the medium appropriate amounts of solutions B to E are added to the sterile solution A in the sequence as indicated. Adjust pH of complete medium to 7.0 - 7.2, if necessary.

* Omit solution E and acetate. Add 0.85 g/l NaNO₃ to solution A and use 1.00 g/l pivalic acid as substrate.

Solution A

KH ₂ PO ₄	0.20	g
NH ₄ Cl	0.25	g
NaCl	1.00	g
MgCl ₂ x 6 H ₂ O	0.40	g
KCl	0.50	g
CaCl ₂ x 2 H ₂ O	0.15	g
Na ₂ SO ₄	0.15	g
Modified Wolin's mineral solution	10.00	ml
NaNO₃	0.85	g
Distilled water	940.00	ml

Solution B

Na ₂ CO ₃	1.50	g
Distilled water	30.00	ml

Solution C

Na-acetate	1.36	g
-----------------------	-----------------	--------------

503b: FWM MEDIUM (PERCHLORATE)

Pivalic acid	1.00	g
Distilled water	10.00	ml

Solution D

Wolin's vitamin solution (10x)	1.00	ml
---------------------------------------	------	----

Solution E

Sodium perchlorate	1.22	g
Distilled water	10.00	ml

Modified Wolin's mineral solution (from medium 141)

Nitrilotriacetic acid	1.50	g
MgSO ₄ x 7 H ₂ O	3.00	g
MnSO ₄ x H ₂ O	0.50	g
NaCl	1.00	g
FeSO ₄ x 7 H ₂ O	0.10	g
CoSO ₄ x 7 H ₂ O	0.18	g
CaCl ₂ x 2 H ₂ O	0.10	g
ZnSO ₄ x 7 H ₂ O	0.18	g
CuSO ₄ x 5 H ₂ O	0.01	g
AlK(SO ₄) ₂ x 12 H ₂ O	0.02	g
H ₃ BO ₃	0.01	g
Na ₂ MoO ₄ x 2 H ₂ O	0.01	g
NiCl ₂ x 6 H ₂ O	0.03	g
Na ₂ SeO ₃ x 5 H ₂ O	0.30	mg
Na ₂ WO ₄ x 2 H ₂ O	0.40	mg
Distilled water	1000.00	ml

First dissolve nitrilotriacetic acid and adjust pH to 6.5 with KOH, then add minerals. Adjust final to pH 7.0 with KOH.

Wolin's vitamin solution (10x) (from medium 120)

Biotin	20.00	mg
Folic acid	20.00	mg
Pyridoxine hydrochloride	100.00	mg
Thiamine HCl	50.00	mg
Riboflavin	50.00	mg
Nicotinic acid	50.00	mg
Calcium D-(+)-pantothenate	50.00	mg
Vitamin B ₁₂	1.00	mg
p-Aminobenzoic acid	50.00	mg
(DL)-alpha-Lipoic acid	50.00	mg

Microorganisms



503b: FWM MEDIUM (PERCHLORATE)

Distilled water

1000.00

ml